

## Book Depository and Small Package Drop (In Wall Mount)

**WHOLESALE PRICES**

Our depositories are manufactured from extruded aluminum for book and small package drops. **Specifications and Features:**

- ¼" thick extruded aluminum construction
  - Rough opening 11¼"H x 16½"W
  - Frame size 14"H x 19"W
  - Hopper door size 8"H x 15"W x 8¾"D
  - Anodized aluminum finish
  - Engraved "Book Depository"
- Optional Features**
- Engraving as specified

ITEM #	DESCRIPTION	QTY: 1-2	QTY: 3+
HCC11RL	Book Depository and Small Package Drop	\$325.50	Call



## Data Distribution Boxes (For Private Use/Access)

If you're looking for locking mailboxes for sale, then look no further than National Mailboxes. The National Mailboxes H2400 series data distribution box system of cast aluminum mailboxes each have ¼" thick extruded aluminum doors with a durable powder coated silver finish. Each door includes a ¾" High door slot, a five-pin cylinder cam lock with two keys and is hinged horizontally at the bottom. Alternative locking systems are available. Doors are available without slots upon request. The compartments have open backs (rear covers H2451 are available as an option upon request) and are constructed of 20 gauge steel. All units have the same outside dimensions. Every aluminum distribution box is designed to be installed between rack ladders (H2400). The rack ladders support five units to form a column of boxes. Each aluminum distribution box can also be used in Free-Standing Mail Centers.

### Specifications and Features

#### H2467 Custom Engraved Placards

- 3" W x 7/8" H custom engraved self-adhesive placards are available as an option upon request.

#### H2468 Custom Door Engraving

- Custom Door engraving is available upon request.



ITEM #	DESCRIPTION	WEIGHT	QTY: 1-3	QTY: 4+
<b>UNIT SIZE: 23¼"W X 12⅞"H X 15½"D</b>				
H2406	Six Door Unit: 11"W x 3½"H; Slots: 9"W x ¾"H	40 lbs.	\$218.50	Call
H2404	Four Door Unit: 11"W x 5½"H; Slots: 9"W x ¾"H	35 lbs.	\$198.50	Call
H2402	Two Door Unit: 22"W x 5½"H; Slots: 19½"W x ¾"H	35 lbs.	\$188.50	Call
H2401	One Door Unit: 22"W x 11½"H; Slots: 19½"W x ¾"H	35 lbs.	\$178.50	Call
H2400	Rack Ladder – Standard – 5 High; 61⅞"H x 15½"D	25 lbs.	\$68.50	Call
H2400C2	Rack Ladder (Custom) 2 High	15 lbs.	\$88.50	Call
H2400C3	Rack Ladder (Custom) 3 High	15 lbs.	\$88.50	Call
H2400C4	Rack Ladder (Custom) 4 High	20 lbs.	\$88.50	Call
H2400C6	Rack Ladder (Custom) 6 High	25 lbs.	\$88.50	Call
H2486	Lock – combination for each H2400 series door (on units without slots only)		\$9.95	Call
H2490	Lock – standard replacement for H2400 series doors with two keys		\$7.95	Call
H2499	Key blanks – for standard H2400 series lock – box of 50		\$29.95/box	Call
H2467	Custom Engraved Placards 3" W x 7/8"		\$3.00	Call
H2468	Custom Engraving		\$3.00/door	Call

[info@nationalmailboxes.com](mailto:info@nationalmailboxes.com) • Website: [www.NationalMailboxes.com](http://www.NationalMailboxes.com)

## Key Control Cabinets

AF Single- and Two-Key storage cabinets provide a centralized, secure location for organizing large numbers of keys belonging to many people. Locking key cabinets include all components for a key control system in which all keys are organized and attached to numbered tags hung on slots with numbers corresponding to the tags inside the key storage cabinets. When the key is loaned, a tag with the person's name, the date and the key number is hooked to the slot corresponding to the loaned key inside the key control cabinets.

### SINGLE-TAG KEY CONTROL CABINETS (DOUBLE-TAG KEY-CONTROL CABINETS ALSO AVAILABLE, PLEASE CALL FOR DETAILS.)

ITEM #	KEY CAPACITY	DIMENSION	QTY: 1-3:	QTY: 4+:
H201-9030-03	30	12 $\frac{1}{8}$ "H x 8"W x 2 $\frac{5}{8}$ "D	\$49.50	Call
H201-9040-03	40	12 $\frac{1}{8}$ "H x 8"W x 3"D	\$69.50	Call
H201-9060-03	60	12 $\frac{1}{8}$ "H x 10 $\frac{1}{2}$ "W x 3"D	\$64.50	Call
H201-9080-03	80	17 $\frac{1}{8}$ "H x 14"W x 3 $\frac{1}{8}$ "D	\$149.50	Call
H201-9110-03	110	17 $\frac{1}{8}$ "H x 14"W x 3 $\frac{1}{8}$ "D	\$116.50	Call
H201-9160-03	160	20 $\frac{1}{8}$ "H x 16 $\frac{1}{2}$ "W x 4 $\frac{1}{8}$ "D	\$233.50	Call
H201-9240-03	240	20 $\frac{1}{8}$ "H x 16 $\frac{1}{2}$ "W x 4 $\frac{1}{8}$ "D	\$243.50	Call
H201-9320-03	320	20 $\frac{1}{8}$ "H x 16 $\frac{1}{2}$ "W x 4 $\frac{1}{8}$ "D	\$256.50	Call
H201-9500-03	500	31 $\frac{1}{8}$ "H x 16 $\frac{1}{2}$ "W x 7"D	\$439.50	Call
H201-9715-03	715	31 $\frac{1}{8}$ "H x 16 $\frac{1}{2}$ "W x 7"D	\$551.50	Call



Item #H201 Series Key Control Cabinet

#### Specifications and Features

- Cross-reference charts are included in all cabinets
- Available in sand finish only
- Two-tag key control system operates as a locking key cabinet

**WHOLESALE PRICES**

## Key Lock Boxes/Key Keepers

**WHOLESALE PRICES**

National Mailboxes sells anodized key keepers in aluminum, gold, or duranodic finishes.

#### Specifications and Features

- Extruded locking key keepers come with aluminum construction
- Optional surface mounting collar key lock box
- Exterior dimensions on locking key keepers: 6 $\frac{3}{4}$ "H x 6 $\frac{1}{4}$ "W x 2 $\frac{5}{8}$ "D
- Interior dimensions on locking key keepers: 4 $\frac{7}{8}$ "H x 4 $\frac{1}{8}$ "W x 2"D
- Rough Opening on locking key keepers: 5 $\frac{1}{4}$ "H x 4 $\frac{3}{8}$ "W x 2 $\frac{1}{4}$ "D

ITEM #	DESCRIPTION	QTY: 1-5	QTY: 6+
HKK	Recessed key keeper – loose key style	\$56.50	Call
HSMKK	Surface mounted key keeper – loose key style	\$56.50	Call
HKKP	Recessed key keeper with private lock	\$66.50	Call
HKKE	Electric switch type key keeper	\$79.50	Call
HKKR	23" long retractable reel type key keeper	\$69.50	Call



Item #HKK Series Key Lock Box

Order by Phone: 1-800-676-5161 • Order by Fax: (414) 258-6820  
 info@nationalmailboxes.com • Website: www.NationalMailboxes.com

# Vario Configurable 4C Outdoor Mailbox Shelters

The Vario 4C Mailbox Shelter offered by National Mailboxes is America's first fully customizable 4C configurable mailbox shelter, stemming from the need for more architecturally driven design options for centralized mail delivery, which is the US Postal Service's desired method of mail delivery for new developments. This high quality mailbox shelter design provides architects and building specialists with versatility, flexibility, and opportunity to personalize the final product so it integrates with the neighborhood and surrounding architecture. Construct your mailbox shelter to fit your specific project requirements.

## Specifications and Features

- Constructed from heavy duty air craft aluminum and structural high strength steel.
- Robotically welded roof sections, side panels, mailbox casings and vertical-horizontal supports.
- Weatherproof, corrosion and scratch resistant powder coated finishes, offered in seven colors: Silver Speck, Postal Grey, Sandstone, Dark Bronze, Forest Green, Black, and White.
- Comes with all necessary hardware including stainless steel fasteners.
- End panels include special pressure preserved plywood sheathing with special coated interior.
- Heavy duty thick gauge aluminum mailbox casings for better security and weather resistant protection.
- Designed to meet 2006 International Builders Code for 90 mph and 150 mph hurricane wind resistance.
- Made to accommodate USPS approved 4C High Security Horizontal Mailbox modules.
- Mailbox shelters can be used alone, attached end to end, back to back, end to end-back to back to create a larger bank of centralized mailboxes.
- Optional accessories available to customize/personalize your shelter installation.

Vario 4C Mailbox Shelters are offered in various configurations to meet any commercial or residential development complex requirement. Shown below are the explanations of the different types of shelter configurations. For more product information and special pricing call customer service at 1-800-676-5161.



Vario I Mailbox Shelter



Vario IV Mailbox Shelter

- Standard (4C Mailboxes mounted on one side)
- Back to Back (4C Mailboxes mounted on two sides)
- End to End (Two or more standard shelters joined together)
- End to End / Back to Back (Two or more back to back shelters joined together)
- Optional Mid-Selection (Extends an end to end or end to end/back to back installation by adding additional middle connector.)

